

Assessment of Biometric Robustness Against Spoof Attacks

Ricardo N. Rodrigues and Venu Govindaraju
Center for Unified Biometrics and Sensors
University at Buffalo, SUNY, Buffalo, NY



Assessment of Biometric Robustness Against Spoof Attacks

Ricardo N. Rodrigues and Venu Govindaraju

Department of Computer Science and Engineering
University at Buffalo, SUNY, Buffalo, NY

- Previous work: “*Robustness of Multimodal Biometric Fusion Methods against Spoof Attacks*”; Journal of Visual Languages and Computing, 2009.
 - Fusion takes into consideration the security of each unimodal system.
 - How to measure the intrinsic robustness of a biometric system?
 - So far this assessment has been subjective (e.g. low, medium, high)
 - Or measured via performance evaluation (FAR,FRR) with spoofed samples.

Assessment of Biometric Robustness Against Spoof Attacks

Ricardo N. Rodrigues and Venu Govindaraju

Department of Computer Science and Engineering
University at Buffalo, SUNY, Buffalo, NY

- Proposed method:
 - Based on information theory.
 - Loss of discriminative information (LDI):
$$LDI = KL(p_i \| p_g) - [KL(p_s \| p_g) - KL(p_s \| p_i)]$$
 - Takes into consideration the spoofing time (TTS)
 - Qualitative assessment:

